



## Vodeća cev (extension drilling)

**Vodeća cev** je deo pribora za bušenje iz asortimana kompanije P&V. Predstavljaju „perfektan alat za najteže poslove“. Proizvode se od čelika koji dolazi iz sopstvene čeličane, originalnom metodom valjanja čelika. Koriste se za nastavljane bušaće niti za najveći broj aplikacija od kamenoloma, rudnika, tunelogradnje, građevinarstva i civilnog inženjerstva. Vodeća cev je prva cev do krune i masivnija je od standardne bušaće cevi. Najbitnija karakteristika je da obezbedi stabilnost i pravac bušenja.

Vodeće cevi se proizvode u prečnicima od 44 do 87 mm. Navoji su standardni muško-ženski (specijalni navoji po porudžbini), a dužine su od 1220 mm do 5335 mm.

### Primena:

- Kamenolomi
- Rudnici
- Tunelogradnje
- Građevinarstvo



### GUIDE TUBE


#### Ø 11mm Flushing hole



DIA.	LENGTH (L)	CAT. NUMBER
44mm	3050mm (10')	5632-4431
44mm	3660mm (12')	5632-4436
44mm	4270mm (14')	5632-4443


### GUIDE TUBES

#### Ø 14mm Flushing hole / dia. 55mm



LENGTH (L)	CAT. NUMBER
1220mm (4')	5688-5512
1525mm (5')	5688-5515
1830mm (6')	5688-5518
2440mm (8')	5688-5524
3050mm (10')	5688-5531
3660mm (12')	5688-5536


#### Ø 14mm Flushing hole / dia. 55mm



1830mm (6)	5688-6418
2440mm (8)	5688-6424
3660mm (12')	5688-6436

### LONG HOLE DRILLING TOOLS - SHOULDER DRIVE TUBES

#### Ø 14mm Flushing hole / dia. 55mm



LENGTH (L)	CAT. NUMBER
1525mm (5')	5688-5515SD
1830mm (6')	5688-5518SD




**IKT**

**INTELIGENTNO  
KREATIVNO  
TRAJNO**

www.ikt.rs

## GUIDE TUBES


Ø 16mm Flushing hole



DIA.	LENGTH (L)	CAT. NUMBER
64mm	1220mm (4')	5695-6412
64mm	1525mm (5')	5695-6415
64mm	1830mm (6')	5695-6418
64mm	3660mm (12')	5695-6436
76mm	1830mm (6')	5695-7618
76mm	3660mm (12')	5695-7636

## LONG HOLE DRILLING TOOLS - SHOULDER DRIVE TUBES


Ø 16mm Flushing hole



DIA.	LENGTH (L)	CAT. NUMBER
64mm	1525mm (5')	5695-6415SD
64mm	1830mm (6')	5695-6418SD

## GUIDE TUBES


Ø 19mm Flushing hole



DIA (D)	LENGTH (L)	CAT. NUMBER
76mm	915mm (3')	5699-7609
76mm	1830mm (6')	5699-7618
76mm	3660mm (12')	5699-7636
87mm	1830mm (6')	5699-8718
87mm	3660mm (12')	5699-8736

## GUIDE TUBE


Ø 22mm Flushing hole



DIA (D) MM	LENGTH (L)	CAT. NUMBER
76	3660mm (12')	5660-7636
87	4265mm (14')	5660-8743

## PILOT TUBE

Ø 25mm Flushing hole



DIA (D) MM	LENGTH (L)	CAT. NUMBER
87	4265mm (14')	5890-8743-R
76	5335mm (17')	5890-7653-R

...da teško bude lakše




**IKT**

**INTELIGENTNO  
KREATIVNO  
TRAJNO**

www.ikt.rs


## DRILL TUBE

Ø 25mm Flushing hole

	DIA (D) MM	LENGTH (L)	CAT. NUMBER
	87	4265mm (14')	5690-8743


## P58 THREAD - SHOULDER DRIVE TUBES

Ø 26mm Flushing hole

	DIA (D) MM	LENGTH (L)	CAT. NUMBER
	76	1525mm (5') DRILL TUBE	5658-7615SD
	76	1830mm (6') DRILL TUBE	5658-7618SD


## P68 THREAD - SHOULDER DRIVE TUBES

Ø 30mm Flushing hole

	DIA (D) MM	LENGTH (L)	CAT. NUMBER
	87	1220mm (4') DRILL TUBE	5668-8712SD
	87	1525mm (5') DRILL TUBE	5668-8715SD
	87	1830mm (6') DRILL TUBE	5668-8718SD

## TUBES - WITH BACK FLOW WATER VALVE

Ø 30mm Flushing hole

	DIA (D) MM	LENGTH (L)	CAT. NUMBER
	87	1220mm (4') DRILL TUBE	5668-8712SDV
	87	1525mm (5') DRILL TUBE	5668-8715SDV
	87	1830mm (6') DRILL TUBE	5668-8718SDV

...da teško bude lakše